

Wood Coat PU 11 C

1 Component water based wood coating

MSDS Material Safety Data Sheet



1. Identification of the Substance/Preparation and Company

Product Name: Wood Coat PU 11 C

Product Description: 1 Component water based wood coating

Manufacturer/Supplier: Carbolink India Private Limited

Address: 105, 1st Floor, Bhavya's Arcade, Above BATA Showroom,

Erragadda, Hyderabad- 500018

Contact Information: +91 9246399551,

info@carbolinkindia.com

Emergency Contact: +91 8885099551

2. Hazards Identification

GHS Classification:

- · Skin Corrosion/Irritation: Category 2
- Eye Damage/Irritation: Category 2
- Specific Target Organ Toxicity (Single Exposure): Category 3

GHS Label Elements:

- · Symbol:
- Signal Word: Warning
- · Hazard Statements:
- o H315: Causes skin irritation.
- o H319: Causes serious eye irritation.
- o H335: May cause respiratory irritation

Precautionary Statements:

- P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264: Wash thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352: IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P332+P313: If skin irritation occurs: Get medical advice/attention.
- P337+P313: If eye irritation persists: Get medical advice/attention.

3. Composition/Information on Ingredients

Main Components:

Water-based Polyurethane Resin: Proprietary blend

4. First Aid Measures

General Advice: Seek medical attention if any irritation or discomfort persists.

Inhalation: Move the affected person to fresh air and keep them at rest. If breathing is difficult, seek medical attention.

Skin Contact: Wash thoroughly with soap and water. Remove any contaminated clothing.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Ingestion: Rinse mouth with water. Do not induce vomiting. Seek medical attention if symptoms occur.



Wood Coat PU 11 C - MSDS

5. Firefighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Unsuitable Extinguishing Media: None known.

Specific Hazards: Non-flammable. In case of fire, hazardous decomposition products such as carbon oxides may be formed.

Protective Equipment for Firefighters: Wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Personal Precautions: Avoid contact with skin and eyes. Wear appropriate protective equipment.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let the product enter drains.

Methods for Cleaning Up: Absorb with inert material and dispose of according to local regulations. Clean the affected area with water.

7. Handling and Storage

Handling: Avoid prolonged contact with skin and eyes. Use in well-ventilated areas. Wear appropriate protective equipment.

Storage: Store in a cool, dry place away from direct sunlight and extreme temperatures. Keep the container tightly closed when not in use.

8. Exposure Controls/Personal Protection

Control Parameters: No specific exposure limits established.

Engineering Controls: Ensure adequate ventilation.

Personal Protective Equipment:

- Eye/Face Protection: Safety goggles.
- · Skin Protection: Protective gloves and clothing.
- Respiratory Protection: Use an approved respirator if exposure limits are exceeded or if irritation is experienced.

9. Physical and Chemical Properties Appearance liquid Color Clear Odor Mild, non-offensive pН 8.2 ± 0.4 Flash Point Not determined **Boiling Point** Not applicable Density 1.04 - 1.05 kg/L Solubility Insoluble in water Viscosity 23 - 25 seconds (Zahn #2) VOC Content 272 g/L Freeze-Thaw Stability Susceptible to freezing Shelf Life 12 months (when stored in original container)

10. Stability and Reactivity

Stability: Stable under recommended storage conditions.

Conditions to Avoid: Extreme temperatures and direct sunlight. Materials to Avoid: Strong acids, bases, and oxidizing agents.

Hazardous Decomposition Products: None under normal use conditions. Decomposition may produce carbon oxides and nitrogen oxides

11. Toxicological Information

Acute Toxicity: Not classified.

Skin Corrosion/Irritation: May cause mild irritation.
Serious Eye Damage/Irritation: May cause mild irritation.

Respiratory or Skin Sensitization: Not expected to be a sensitizer.

Carcinogenicity: Not classified as a carcinogen. Reproductive Toxicity: No data available.

Material Safety Data Sheet Wood Coat PU 11 C July 2024, Version MSDS/01.001



Wood Coat PU 11 C - MSDS

STOT-Single Exposure: No data available. **STOT-Repeated Exposure**: No data available.

Aspiration Hazard: Not applicable

12. Ecological Information

Ecotoxicity: No data available.

Persistence and Degradability: Expected to be biodegradable. **Bioaccumulative Potential**: Not expected to bioaccumulate.

Mobility in Soil: No data available. Other Adverse Effects: None known.

13. Disposal Considerations

Waste Treatment Methods: Dispose of in accordance with local, state, and federal regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport Information

UN Number: Not applicable.

UN Proper Shipping Name: Not applicable. **Transport Hazard Class(es)**: Not applicable..

Packing Group: Not applicable.

Environmental Hazards: Not applicable. **Special Precautions for User**: None.

15. Regulatory Information

Safety, Health, and Environmental Regulations/Legislation Specific for the Substance or Mixture: Complies with relevant local and national regulations.

Chemical Safety Assessment: No chemical safety assessment has been carried out.

16. Other Information

Preparation Date: 19 July 2024 Revision Date: 19 July 2024

Disclaimer: The information provided in this MSDS is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

